CALIBRATION OF THE STEREO ANTENNAS AT LOW FREQUENCIES

To measure Electric Fields


To measure density fluctuations

especially in the ion cyclotron frequency range

Electric Fields

Recently electric fields in the ion cyclotron frequency range have been measured consistently, using the EFW experiment on Cluster (Kellogg et al in press ApJ, arxivphysics 0602179) It turns out that the electric force on thermal ions of the solar wind is several times larger than that due to magnetic fluctuations in the ion cyclotron frequency range.

Electric fields therefore are more important than magnetic fluctuations in heating and diffusion in the solar wind. They are the "collisions" which make MHD work and are a factor in the state of the solar wind.




Density Fluctuations

- It has been suggested that the Langmuir wave to electromagnetic conversion takes place on density ramps, where a Langmuir wave reaches a point where its frequency is the plasma frequency, and it is reflected, with mode conversion for a narrow range of incident angles.
- With rapid density measurements at low frequencies and Langmuir wave observations with the TDS and radio receivers, we intend to investigate this idea.


CLUSTER CALIBRATION FOR DENSITY

• In previous experiments which have used antenna potential to measure plasma density, the calibration function has been a six parameter function, three amplitudes and three photoelectron "temperatures". (Pedersen Ann.Geo. 13, 118, 1995, Kellogg and Horbury, Ann. Geo.23,3765, 2005).

•
$$n_e(V) = A_1 \exp(-V/T_1) + A_2 \exp(-V/T_2) + A_3 \exp(-V/T_3)$$



WIND antenna-spacecraft potential




antenna potentials (V)

Effective Length

The instrument measures a voltage, but we want to determine electric fields. The ratio is a length, the effective length:

$$E = V/L_{eff}$$


EQUIVALENT CIRCUIT



Strictly speaking, the effective length is a vector, giving a potential difference:

$$\Delta V = E .I_{eff}$$

The direction is to be determined by rheology, but the length is to be determined by comparison with **V x B** from IMPACT and PLASTIC.








Figure 4. Measured resistance for EX (top panel) and EY (middle panel) and base resistance (bottom panel) as function of electron flux for the case when the antenna bases are both in the shadow of the spacecraft. Electron flux is in units of density (in cm⁻³) times $\sqrt{k_BT_e}$ (in eV). The curves are explained in the text.


18,724

EQUIVALENT CIRCUIT











Hi frequency effective length -- stereo



EFFECTIVE LENGTH

EQUIVALENT CIRCUIT



In the capacitive range:

$$V^{2}(f) = \frac{4 k T R_{in}}{1 + \omega^{2} R_{in}^{2} C_{in}^{2}}$$

